


|   |            |            |            |  |            |
|---|------------|------------|------------|--|------------|
| <b>KLINIK UND POLIKLINIK FÜR INNERE MEDIZIN I</b> |            |            |            |  |            |
| <b>Ösophaguskarzinom</b>                          |            |            |            | Gebiet: Gastroenterologie<br>Onkologie |            |
|   |            |            |            | Ausrichtung: <i>therapeutisch</i>      |            |
| Version:  | Gültig ab: | Revision:  | Verfasser: | Geprüft:                               | Genehmigt: |
| 2.0 (2 Seiten)                                    | 01.11.2010 | 01.11.2012 | EE         | EE                                     | BS (2.0)   |



**Verfasser**

E-mail: [esther.endlicher@klinik.uni-regensburg.de](mailto:esther.endlicher@klinik.uni-regensburg.de)

Hausfunk: 1515

**Literatur**

AWMF Leitlinien: (keine)

Internationale Leitlinien: (keine)

Aktuelle Übersichtsartikel: Richel DJ and Vervenne WL. Systemic treatment of oesophageal cancer. Europ J Gastroenterol hepatol 2004; 16: 249-254.

Enzinger PC and Mayer RJ: Esophageal cancer. N Engl J Med 2003; 349: 2241-2252.

Fiorica F, Di Bona D, Schepis F, Licata A, Shahied L, Venturi A, Falchi AM, Craxi A and Camma C. Preoperative chemoradiotherapy for oesophageal cancer: a systematic review and meta-analysis. Gut 2004; 53: 925-930.

Wieder HA, Brücher BLDM, Zimmermann F, Becker K, Lordick F, Beer A, Schwaiger M, Fink U, Siewert JR, Stein HJ and Weber WA. Time course of tumor metabolic activity during chemoradiotherapy of esophageal squamous cell carcinoma and response to treatment. J Clin Oncol 2004; 22: 900-908.

Medical research Council Oesophageal Cancer Working Party. Surgical resection with or without preoperative chemotherapy in oesophageal cancer: a randomised controlled trial. Lancet 2002; 359: 1727-1733.

Kelsen DP, Ginsberg R, Pajak TF, Sheahan DG, Gunderson L, Mortimer J, Estes N, Haller DG, Ajani J, Kocha W, Minsky BD and Roth JA: Chemo therapy followed by surgery compared with surgery alone for localized esophageal cancer. N Engl J Med 1998; 339: 1979-1984.

Bedenne L, Michel P, Bouche O, Milan C, Mariette C, Conroy T, Pezet D, Rouillet B, Seitz JF, Herr JP, Paillot B, Arveux P, Bonnetain F, Binquet C: Chemoradiation followed by surgery compared with chemoradiation alone in squamous cancer of the esophagus: FFCD 9102. J Clin Oncol 2007; 25: 1160 - 8.

Piessen G, Briez N, Triboulet JP, Mariette C: Patients with locally advanced esophageal carcinoma nonresponder to radiochemotherapy: who will benefit from surgery? Ann Surg Oncol 2007; 14: 2036 - 2044.

Lordick F, Ott K, Krause BJ, Weber WA, Becker K, Stein HJ, Lorenzen S, Schuster T, Wieder H, Herrmann K, Bredenkamp R, Höfler H, Fink U, Pechel C, Schwaiger M, Siewert JR: PET to assess early metabolic response and to guide treatment of adenocarcinoma of the oesophagogastric junction: the MUNICON phase II trial. Lancet Oncol 2007; 8: 797 - 805.

Walsh TN, Grenell M, Mansoor S, Kelly A: Neoadjuvant treatment of advanced stage esophageal adenocarcinoma increase survival. Dis Esophagus 2002; 15: 121-4.

Stahl M, Walz MK, Stuschke M, Lehmann N, Meyer HJ, Riera-Knorrenschild J, Langer P, Engenhart-Cabillic R, Bitzer M, Königsrainer A, Budach W, Wilke H: Phase III comparison of preoperative chemotherapy compared with chemoradiotherapy in patients with locally advanced adenocarcinoma of the esophagogastric junction. J Clin Oncol 2009; 27: 836-7.

**Empfehlungen ohne Gewähr, Verantwortung liegt bei behandelnder Ärztin/Arzt!**